

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 08-Jul-2009 Revision Date 09-Sep-2024 Revision Number 13

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Potassium dichromate

Cat No. : 424110000; 424110025; 424110500; 424115000

Synonyms Potassium bichromate.; Dipotassium dichromate; Dichromic acid, dipotassium salt

 Index No
 024-002-00-6

 CAS No
 7778-50-9

 EC No
 231-906-6

 Molecular Formula
 Cr2 K2 O7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Oxidizing solids Category 2 (H272)

Health hazards

Potassium dichromate

Revision Date 09-Sep-2024

A south a small to state to	0-10 (11004)
Acute oral toxicity	Category 3 (H301)
Acute dermal toxicity	Category 4 (H312)
Acute Inhalation Toxicity - Dusts and Mists	Category 2 (H330)
Skin Corrosion/Irritation	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Respiratory Sensitization	Category 1 (H334)
Skin Sensitization	Category 1 (H317)
Germ Cell Mutagenicity	Category 1B (H340)
Carcinogenicity	Category 1B (H350)
Reproductive Toxicity	Category 1B (H360FD)
Specific target organ toxicity - (repeated exposure)	Category 1 (H372)

Environmental hazards

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1 (H400)
Category 1 (H410)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

- H272 May intensify fire; oxidizer
- H301 Toxic if swallowed
- H312 Harmful in contact with skin
- H330 Fatal if inhaled
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H340 May cause genetic defects
- H350 May cause cancer
- H360FD May damage fertility. May damage the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

- P220 Keep away from clothing and other combustible materials
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor/physician
- P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion

Potassium dichromate

Additional EU labelling

Restricted to professional users

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Potassium dichromate	7778-50-9	EEC No. 231-906-6	>95	Ox. Sol. 2 (H272) Acute Tox. 3 (H301) Acute Tox. 2 (H330) Acute Tox. 4 (H312) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Resp. Sens. 1 (H334) Skin Sens. 1 (H317)
				Muta. 1B (H340) Carc. 1B (H350) Repr. 1B (H360FD) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Potassium dichromate	STOT SE 3 (H335) :: C>=5%	1	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

ACR42411

Revision Date 09-Sep-2024

Potassium dichromate Revision Date 09-Sep-2024

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Chromium oxide.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

Page 4/14

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust formation. Keep away from clothing and other combustible materials.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 5.1B

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

Component	The United Kingdom	European Union	Ireland
Potassium dichromate	STEL: 0.03 mg/m ³ 15 min		
	STEL: 0.065 mg/m ³ 15 min		
	TWA: 0.01 mg/m ³ 8 hr		
	TWA: 0.025 mg/m ³ 8 hr		
	Carc. as Cr		
	Resp. Sens.		

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

ſ	Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	<u>-</u>	(Inhalation)	systemic (Inhalation)	(Inhalation)	systemic (Inhalation)

Potassium dichromate

Potassium dichromate	DMEL = 0.01mg/m ³	$DMEL = 0.01 mg/m^3$	
7778-50-9 (>95)			

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	vater Water Intermittent Microorganisms in		Soil (Agriculture)
		sediment		sewage treatment	
Potassium dichromate	PNEC =	PNEC = 0.15mg/kg	PNEC =	PNEC = 0.21mg/L	PNEC =
7778-50-9 (>95)	0.00047mg/L	sediment dw	0.00047mg/L		0.035mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Potassium dichromate		PNEC = 0.15mg/kg		PNEC = 17000g/kg	
7778-50-9 (>95)		sediment dw		food	

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

ACR42411

Revision Date 09-Sep-2024

Potassium dichromate Revision Date 09-Sep-2024

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Solid

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid

AppearanceOrangeOdorOdorless

Odor Threshold
Melting Point/Range
Softening Point
Boiling Point/Range
Flammability (liquid)
No data available
No data available
So0 °C / 932 °F
Not applicable

Flammability (solid,gas) No information available

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition Temperature No data available

Decomposition Temperature > 500°C

pH 4 (5 %) Viscosity Not applicable Solid

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor PressureNo information available

Density / Specific Gravity 2.676

Bulk Density No data available

Vapor Density Not applicable Solid

Particle characteristics No data available

9.2. Other information

Molecular FormulaCr2 K2 O7Molecular Weight294.19Oxidizing PropertiesOxidizer

Evaporation Rate Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity Yes

10.2. Chemical stability

Oxidizer: Contact with combustible/organic material may cause fire.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Combustible material. Avoid dust formation.

10.5. Incompatible materials

Strong oxidizing agents. Reducing Agent. Acids. Strong bases. Acid anhydrides. Strong

reducing agents. Combustible material.

10.6. Hazardous decomposition products

Chromium oxide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Category 3
Dermal Category 1
Inhalation Category 2

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium dichromate	130 mg/kg (Rat)	1150 mg/kg (Rabbit)	0.09 mg/L/4h (Rat)

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Category 1 **Skin** Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; Category 1B

May cause heritable genetic damage

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Potassium dichromate	Carc Cat. 1B			Group 1

(g) reproductive toxicity; Category 1B
Reproductive Effects May impair ferti

Reproductive Effects May impair fertility.

Developmental Effects Component substance is listed on California Proposition 65 as a developmental hazard.

Teratogenicity May cause harm to the unborn child.

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 1

Target Organs Eyes, Skin, Respiratory system, Reproductive System, Liver, Kidney, Blood.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Potassium dichromate

Possible perforation of stomach or esophagus should be investigated. Symptoms of allergic delayed

reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Revision Date 09-Sep-2024

Page 9/14

11.2. Information on other hazards

Assess endocrine disrupting properties for human health. This product does not contain any **Endocrine Disrupting Properties**

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity **Ecotoxicity effects**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not allow material to contaminate ground water system. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Potassium dichromate	LC50: 14 - 20.9 mg/L, 96h static	EC50: 1.4 mg/L 24h	
	(Pimephales promelas)		
	LC50: 24.81 - 34.55 mg/L, 96h		
	semi-static (Poecilia reticulata)		
	LC50: 23 - 41.2 mg/L, 96h static		
	(Poecilia reticulata)		
	LC50: 15.41 - 30.36 mg/L, 96h		
	flow-through (Pimephales		
	promelas)		
	LC50: > 139 mg/L, 96h static		
	(Cyprinus carpio)		
	LC50: 113.6 - 155.7 mg/L, 96h		
	flow-through (Lepomis		
	macrochirus)		
	LC50: = 320 mg/L, 96h		
	(Lepomis macrochirus)		
	LC50: 65.6 - 137.6 mg/L, 96h		
	static (Lepomis macrochirus)		
	LC50: = 12.3 mg/L, 96h		
	semi-static (Oncorhynchus		
	mykiss)		
	LC50: 21.209 - 30.046 mg/L,		
	96h semi-static (Oryzias latipes)		

Component	Microtox	M-Factor
Potassium dichromate		1

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

May persist, based on information available. **Persistence** Not relevant for inorganic substances. Degradability

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste treatment plant water treatment plants.

12.3. Bioaccumulative potential May have some potential to bioaccumulate

The product is water soluble, and may spread in water systems Will likely be mobile in the 12.4. Mobility in soil

environment due to its water solubility. Highly mobile in soils

Potassium dichromate Revision Date 09-Sep-2024

12.5. Results of PBT and vPvB

assessment

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not

require assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with federal, state and local regulations. Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with local regulations. Dispose of

this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN3087

14.2. UN proper shipping name Oxidizing solid, toxic, n.o.s. **Technical Shipping Name** Potassium dichromate

14.3. Transport hazard class(es) 5.1 **Subsidiary Hazard Class** 6.1 14.4. Packing group П

ADR

UN3087 14.1. UN number

Oxidizing solid, toxic, n.o.s. 14.2. UN proper shipping name **Technical Shipping Name** Potassium dichromate

14.3. Transport hazard class(es) 5.1 **Subsidiary Hazard Class** 14.4. Packing group П

6.1

IATA

14.1. UN number UN3087

Potassium dichromate Revision Date 09-Sep-2024

14.2. UN proper shipping name Technical Shipping NameOxidizing solid, toxic, n.o.s.
Potassium dichromate

14.3. Transport hazard class(es)5.1Subsidiary Hazard Class6.114.4. Packing groupII

14.5. Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

CAS No

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Component

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

EINECS ELINCS

L	Potassium dichromate	7778-50-9	231-906-6	-	-	X	X	KE-29094	X	X
	Component	CAS No	TSCA	notific	iventory ation - Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Γ	Potassium dichromate	7778-50-9	X	ACT	IVE	Х	-	Х	X	Х

NLP

IECSC

TCSI

KECL

ENCS

ISHL

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		Annex XIV - Substances	Annex XVII - Restrictions	
		Subject to Authorization		Candidate List of
			Substances	Substances of Very High
				Concern (SVHC)
Potassium dichromate	7778-50-9	Carcinogenic Category 1B,	Use restricted. See entry	SVHC Candidate list -
		Mutagenic Category 1B,	72.	231-906-6 - Carcinogenic,
		Toxic for reproduction	(see link for restriction	Article 57a; Mutagenic,
		Category 1B Article 57	details)	Article 57b; Toxic for
		Application date: March	Use restricted. See entry	reproduction, Article 57c
		21, 2016	28.	
		Sunset date: September	(see link for restriction	
		21, 2017	details)	
		Exemption - None	Use restricted. See entry	
			29.	
			(see link for restriction	
			details)	
			Use restricted. See entry	
			30.	
			(see link for restriction	
			details)	
			Use restricted. See entry	
			75.	
			(see link for restriction	
			details)	
			Use restricted. See entry	
			47.	
			(see link for restriction	

Potassium dichromate

Revision Date 09-Sep-2024

	details)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
Potassium dichromate	7778-50-9	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class		
Potassium dichromate WGK3				

Component	France - INRS (Tables of occupational diseases)
Potassium dichromate	Tableaux des maladies professionnelles (TMP) - RG 10.RG 10bis.RG 10ter

	Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure	
ı	Potassium dichromate	Prohibited and Restricted			
	7778-50-9 (>95)	Substances			

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H330 - Fatal if inhaled

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H360FD - May damage fertility. May damage the unborn child

H360Fd - May damage fertility. Suspected of damaging the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H272 - May intensify fire: oxidizer H312 - Harmful in contact with skin

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

08-Jul-2009 **Creation Date Revision Date** 09-Sep-2024 **Revision Summary** Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as

amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet