

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| | |
|----------------------------------|---------------------------------------|
| Product Description: | <u>Boron fluoride-methanol</u> |
| Cat No. : | B21357 |
| Synonyms | Anca 1040; Boron Fluoride. |
| CAS No | 2802-68-8 |
| EC No | 220-543-9 |
| Molecular Formula | C2 H8 B F3 O2 |
| REACH registration number | 01-2119433307-44-0306 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------------------|--------------------------|
| Recommended Use | Laboratory chemicals. |
| Uses advised against | No Information available |

1.3. Details of the supplier of the safety data sheet

| | |
|----------------|--|
| Company | Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608 |
|----------------|--|

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

| | |
|--|---------------------|
| Acute oral toxicity | Category 4 (H302) |
| Acute dermal toxicity | Category 3 (H311) |
| Acute Inhalation Toxicity - Vapors | Category 3 (H331) |
| Skin Corrosion/Irritation | Category 1 A (H314) |
| Serious Eye Damage/Eye Irritation | Category 1 (H318) |
| Specific target organ toxicity - (single exposure) | Category 1 (H370) |

Specific target organ toxicity - (repeated exposure) Category 1 (H372)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H302 - Harmful if swallowed
H311 + H331 - Toxic in contact with skin or if inhaled
H314 - Causes severe skin burns and eye damage
H370 - Causes damage to organs
H372 - Causes damage to organs through prolonged or repeated exposure
EUH014 - Reacts violently with water
Combustible liquid

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

Water reactive

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and |
|-----------|--------|-------|----------|---|
|-----------|--------|-------|----------|---|

ALFAAB21357

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

| | | | | UK SI 2020/1567 |
|---|-----------|-----------|------|--|
| Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1) | 2802-68-8 | 220-543-9 | >94 | Acute Tox. 4 (H302) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1A (H314) Eye Dam. 1 (H318) STOT RE 1 (H372) STOT SE 1 (H370) |
| Boron trifluoride | 7637-07-2 | 231-569-5 | 1-10 | Press. Gas (H280) Acute Tox. 2 (H330) Skin Corr. 1A (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) STOT RE 2 (H373) [EUH014] |
| Methyl alcohol | 67-56-1 | 200-659-6 | 1-9 | Flam. Liq. 2 (H225) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|----------------|---|----------|-----------------|
| Methyl alcohol | STOT Single Exp. 1 :: >= 10 STOT Single Exp. 2 :: 3 - < 10 | - | - |

| | |
|----------------------------------|-----------------------|
| REACH registration number | 01-2119433307-44-0306 |
|----------------------------------|-----------------------|

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

- General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
- Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
- Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.
- Inhalation** If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.
- Self-Protection of the First Aider** Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting; Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water mist may be used to cool closed containers. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

Water.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Do not expose spill to water. Remove all sources of ignition.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. Keep away from open flames, hot surfaces and sources of ignition.

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Keep away from water or moist air.

Technical Rules for Hazardous Substances (TRGS) 510 Class 6.1C
Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-------------------|---|--|--|
| Boron trifluoride | | | STEL: 1 ppm 15 min STEL: 3 mg/m ³ 15 min |
| Methyl alcohol | WEL - TWA: 200 ppm TWA; 266 mg/m ³ TWA WEL - STEL: 250 ppm STEL; 333 mg/m ³ STEL | TWA: 200 ppm 8 hr TWA: 260 mg/m ³ 8 hr Skin | TWA: 200 ppm 8 hr. TWA: 260 mg/m ³ 8 hr. STEL: 600 ppm 15 min STEL: 780 mg/m ³ 15 min Skin |

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|-----------------------------------|---------------------------------|------------------------------------|-----------------------------------|--------------------------------------|
| Methyl alcohol 67-56-1 (1-9) | | DNEL = 20mg/kg bw/day | | DNEL = 20mg/kg bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|--|-------------------------------------|--|---------------------------------------|--|
| Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1) 2802-68-8 (>94) | DNEL = 1.9mg/m ³ | DNEL = 1.9mg/m ³ | DNEL = 0.89mg/m ³ | DNEL = 0.89mg/m ³ |
| Methyl alcohol 67-56-1 (1-9) | DNEL = 130mg/m ³ | DNEL = 130mg/m ³ | DNEL = 130mg/m ³ | DNEL = 130mg/m ³ |

Predicted No Effect Concentration (PNEC)

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

See values below.

| Component | Fresh water | Fresh water sediment | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture) |
|---|-----------------|-----------------------------|--------------------|------------------------------------|-------------------------|
| Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1) 2802-68-8 (>94) | PNEC = 1.9mg/L | PNEC = 2.6mg/kg sediment dw | PNEC = 1.25mg/L | PNEC = 10mg/L | PNEC = 0.2mg/kg soil dw |
| Methyl alcohol 67-56-1 (1-9) | PNEC = 20.8mg/L | PNEC = 77mg/kg sediment dw | PNEC = 1540mg/L | PNEC = 100mg/L | PNEC = 100mg/kg soil dw |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|---|-----------------|------------------------------|---------------------------|------------|-----|
| Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1) 2802-68-8 (>94) | PNEC = 0.6mg/L | PNEC = 1.92mg/kg sediment dw | | | |
| Methyl alcohol 67-56-1 (1-9) | PNEC = 2.08mg/L | PNEC = 7.7mg/kg sediment dw | | | |

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Butyl rubber | See manufacturers recommendations | - | EN 374 | (minimum requirement) |

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type E Yellow

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | | |
|--|--------------------------|--|
| Physical State | Liquid | |
| Appearance | Light yellow | |
| Odor | pungent | |
| Odor Threshold | No data available | |
| Melting Point/Range | -20 °C / -4 °F | |
| Softening Point | No data available | |
| Boiling Point/Range | 59 °C / 138.2 °F | @ 4 mmHg |
| Flammability (liquid) | Combustible liquid | On basis of test data |
| Flammability (solid,gas) | Not applicable | Liquid |
| Explosion Limits | Lower 4 | |
| Flash Point | 68 °C / 154.4 °F | Method - No information available |
| Autoignition Temperature | 420 °C / 788 °F | |
| Decomposition Temperature | > 60°C | |
| pH | 2.0 | Acidic |
| Viscosity | No data available | |
| Water Solubility | hydrolyses | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |
| Component | log Pow | |
| Methyl alcohol | -0.74 | |
| Vapor Pressure | 26 hPa @ 50 °C | |
| Density / Specific Gravity | 1.21-1.235 | |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | No information available | (Air = 1.0) |
| Particle characteristics | Not applicable (liquid) | |

9.2. Other information

| | |
|-----------------------------|--|
| Molecular Formula | C2 H8 B F3 O2 |
| Molecular Weight | 131.89 |
| Explosive Properties | explosive air/vapour mixtures possible |

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity Yes

10.2. Chemical stability Moisture sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.
Hazardous Reactions None under normal processing. Reacts violently with water.

ALFAAB21357

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water. Exposure to moisture.

10.5. Incompatible materials

Acids. Bases. Metals.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Category 4
Dermal Category 3
Inhalation Category 3

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------|--------------------------------|-------------------------------|------------------------------------|
| Boron trifluoride | - | - | 1180 mg/m ³ (Rat) 4 h |
| Methyl alcohol | LD50 = 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg (Rabbit) | LC50 = 128.2 mg/L (Rat) 4 h |

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

| Component | Test method | Test species | Study result |
|-----------------------------------|---|--------------|-----------------|
| Methyl alcohol 67-56-1 (1-9) | OECD Test Guideline 406 Guinea Pig Maximisation Test (GPMT) | guinea pig | non-sensitising |

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

| Component | Test method | Test species / Duration | Study result |
|-----------------------------------|-------------------------|----------------------------------|---------------------------|
| Methyl alcohol 67-56-1 (1-9) | OECD Test Guideline 416 | Rat / Inhalation 2 Generation | NOAEC = 1.3 mg/l (air) |

(h) STOT-single exposure; Category 1

Results / Target organs Optic nerve, Central nervous system (CNS).

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

(i) STOT-repeated exposure; Category 1

Target Organs Kidney.

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects, both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Do not empty into drains. Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Reacts with water so no ecotoxicity data for the substance is available.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-------------------|--|-----------------------|------------------|
| Boron trifluoride | | 21.3 mg/L EC50 = 48 h | |
| Methyl alcohol | Pimephales promelas: LC50 > 10000 mg/L 96h | EC50 > 10000 mg/L 24h | |

| Component | Microtox | M-Factor |
|----------------|---|----------|
| Methyl alcohol | EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min | |

12.2. Persistence and degradability No information available

Persistence

Persistence is unlikely, based on information available.

Degradability

Decomposes in contact with water.

| Component | Degradability |
|-----------------------------------|--------------------------------|
| Methyl alcohol 67-56-1 (1-9) | DT50 ~ 17.2d >94% after 20d |

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. No information available. Decomposes in contact with water.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|----------------|---------|-------------------------------|
| Methyl alcohol | -0.74 | <10 dimensionless |

12.4. Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

12.5. Results of PBT and vPvB assessment

Water reactive.

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant

This product does not contain any known or suspected substance

Ozone Depletion Potential

This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized before discharge.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number

UN2922

14.2. UN proper shipping name

Corrosive liquid, toxic, n.o.s.

Technical Shipping Name

Boron trifluoride dimethanol complex

14.3. Transport hazard class(es)

8

Subsidiary Hazard Class

6.1

14.4. Packing group

I

ADR

14.1. UN number

UN2922

14.2. UN proper shipping name

Corrosive liquid, toxic, n.o.s.

Technical Shipping Name

Boron trifluoride dimethanol complex

14.3. Transport hazard class(es)

8

Subsidiary Hazard Class

6.1

14.4. Packing group

I

IATA

14.1. UN number

UN2922

14.2. UN proper shipping name

Corrosive liquid, toxic, n.o.s.

Technical Shipping Name

Boron trifluoride dimethanol complex

14.3. Transport hazard class(es)

8

Subsidiary Hazard Class

6.1

14.4. Packing group

I

ALFAAB21357

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

- 14.5. Environmental hazards** No hazards identified
- 14.6. Special precautions for user** No special precautions required.
- 14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|---|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1) | 2802-68-8 | 220-543-9 | - | - | X | X | - | X | X |
| Boron trifluoride | 7637-07-2 | 231-569-5 | - | - | X | X | X | X | X |
| Methyl alcohol | 67-56-1 | 200-659-6 | - | - | X | X | KE-23193 | X | X |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|---|-----------|------|---|-----|------|------|-------|-------|
| Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1) | 2802-68-8 | X | ACTIVE | - | X | - | X | - |
| Boron trifluoride | 7637-07-2 | X | ACTIVE | X | - | X | X | X |
| Methyl alcohol | 67-56-1 | X | ACTIVE | X | - | X | X | X |

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---|-----------|---|--|---|
| Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1) | 2802-68-8 | - | - | - |
| Boron trifluoride | 7637-07-2 | - | Use restricted. See entry 75. (see link for restriction details) | - |
| Methyl alcohol | 67-56-1 | - | Use restricted. See entry 69. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details) | - |

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|---|-----------|---|--|
| Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1) | 2802-68-8 | Not applicable | Not applicable |
| Boron trifluoride | 7637-07-2 | 5 tonne | 20 tonne |
| Methyl alcohol | 67-56-1 | 500 tonne | 5000 tonne |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------------|---------------------------------------|--|
| Boron trifluoride | WGK 1 | |
| Methyl alcohol | WGK 2 | Class I : 20 mg/m ³ (Massenkonzentration) |

| Component | France - INRS (Tables of occupational diseases) |
|-------------------|--|
| Boron trifluoride | Tableaux des maladies professionnelles (TMP) - RG 32 |
| Methyl alcohol | Tableaux des maladies professionnelles (TMP) - RG 84 |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|-----------------------------------|--|---|---|
| Methyl alcohol 67-56-1 (1-9) | Prohibited and Restricted Substances | Group I | |

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H314 - Causes severe skin burns and eye damage

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

H318 - Causes serious eye damage
H370 - Causes damage to organs
H372 - Causes damage to organs through prolonged or repeated exposure
EUH014 - Reacts violently with water
H225 - Highly flammable liquid and vapor
H301 - Toxic if swallowed
H330 - Fatal if inhaled
H335 - May cause respiratory irritation

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/MDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Prepared By Health, Safety and Environmental Department

Creation Date 16-Nov-2010

Revision Date 02-May-2025

Revision Summary Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

SAFETY DATA SHEET

Boron fluoride-methanol

Revision Date 02-May-2025

End of Safety Data Sheet